Rohrschellen


Tel: +41 44 406 80 11 Fax: +41 44 491 22 11 Email: info@hausammann.com



Rundstahlbügel

DIN 3570, Form A 201





Typ	Typ 1 4301	D	_		В	Н
Stahl verzinkt	1.4001		G M 8	20	30	46
H301.9503*	H301.9504*	21,3 (1/2")				
H301.9507	H301.9508	18	M 10	30	33	67
H301.9511*	H301.9512*	26,9 (3/4")	M 8	20	35	54
H301.9515*	H301.9516*	33,7 (1")	M 8	25	43	68
H301.9517	H301.9518	25,0 - 26,9	M 10	40	40	70
H301.9521*	H301.9522*	42,4 (11/4")	M 8	30	51	68
H301.9525	H301.9526	30,0 - 33,7	M 10	40	48	76
H301.9529*	H301.9530*	48,3 (11/4")	M 8	30	58	88
H301.9533	H301.9534	38,0 - 42,2	M 10	50	56	86
H301.9535	H301.9536	44,5 - 48,3	M 10	50	62	92
H301.9537*	H301.9538*	60,3 (2")	M 10	35	71	90
H301.9541	H301.9542	57,0 - 60,3	M 12	50	76	109
H301.9543	H301.9544	76,1	M 12	50	94	125
H301.9545	H301.9546	88,9	M 12	50	106	138
H301.9499	H301.9500	108,0 - 114,3	M 16	60	136	171
H301.9501	H301.9502	133,0 - 139,7	M 16	60	164	191
H301.9505	H301.9506	159,0 - 168,3	M 16	60	192	217
H301.9509	H301.9510	191,0 - 193,7	M 16	60	218	249
H301.9513	H301.9514	216,0 - 219,1	M 20	70	248	283
H301.9519	H301.9520	267,0 - 273,0	M 20	70	302	334
H301.9523	H301.9524	318,0 - 332,9	M 20	70	352	385
H301.9527	H301.9528	356,6 - 368,0	M 24	70	402	435
H301.9531	H301.9532	406,4 - 419,0	M 24	70	452	487
H301.9539	H301.9540	508,0 - 521,0	M 24	70	554	589

* ähnlich DIN




Bügelschellen komplett mit Schale und Mutter

Lieferumfang: Rundstahlbügel werden ohne Schale und Mutter geliefert.

Lieferumfang: Rundstahlbügel werden komplett mit Schale und Mutter geliefert.

Тур	max.	Тур	max.
Stahl verzinkt	Rohr-Ø	Stahl verzinkt	Rohr-Ø
H301.9547	28	H301.9555	50
H301.9548	32	H301.9556	52
H301.9549	36	H301.9557	54
H301.9550	38	H301.9558	58
H301.9551	40	H301.9559	60
H301.9552	42	H301.9560	65
H301.9553	45	H301.9561	70
H301.9554	48	H301.9562	75





ähnlich DIN 741 201

 $\textbf{Verwendung:} \ \mathsf{Drahtseilklemmen} \ \mathsf{sind} \ \mathsf{zur} \ \mathsf{Herstellung} \ \mathsf{von} \ \mathsf{l\"{o}sbaren} \ \mathsf{Seil-Endverbindungen} \ \mathsf{bestimmt}.$

Typ	101				190 /80	101			
Stahl verzinkt	Seil-Ø	G	Н	В	1.4436	Seil-Ø	G	Н	В
H301.9484	3	M 4	20	9	H301.9479	2	М3	17	7
H301.9491	5	M 5	24	11	H301.9485	3	M 4	20	9
H301.9494	6,5	M 5	28	13	H301.9488	4	M 4	22	10
H301.9496	8	M 6	34	16	H301.9492	5	M 5	24	11
H301.9498	9,5	M 8	42	19	H301.9495	6	M 5	28	13
H301.9471	11	M 8	44	20	H301.9497	8	M 6	34	16
H301.9472	13	M 10	55	24	H301.9470	10	M 8	42	20
H301.9474	14	M 10	57	25	H301.9473	13	M 10	55	25
H301.9475	16	M 12	63	29	H301.9476	16	M 12	63	30
H301.9477	19	M 12	75	32	H301.9478	19	M 12	75	33
H301.9480	22	M 14	85	37	H301.9481	22	M 14	85	38
H301.9483	26	M 14	95	41	H301.9482	25	M 14	96	41
H301.9486	30	M 16	110	48					
H301.9487	34	M 16	120	52					
H301.9489	40	M 16	140	58					
H301.9490	45	M 18	165	65					
H301.9493	50	M 20	170	72					







