

According to Regulation (EC) No. 1907/2006 and (EC) no. 435/2010 Pagina 1 van 10 Revision: no. 1 Revision date: 25-11-2019 Supersede: no. 0 Superseds date: 7-5-2013

# CDLS 1 - Aerosol

### 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form: Mixture

Trade name: CDLS 1, Food Lube High Performance Grease NSF

Chemical characterization: Aerosol with grease

1.2 Relevant identified uses of the substance or mixture and uses advised against

Main use category: Grease, product for industrial use only.

1.3 Details of the supplier of the safety data sheet

Manufacturer: Nabima,

Division der Ernst Hausammann & Co. AG

Rautistrasse 19, CH-8047, Zürich T. + 41 44 406 80 11 F. + 41 44 491 22 11

W. <u>www.hausammann.com</u> E. <u>info@hausammann.com</u>

1.4. Emergency telephone number

Emergency number: T. + 41 44 406 80 11

This number is serviced during office hours.

### 2. Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222
Aerosol 1 H229
STOT SE 3 H336
Aquatic Chronic 2 H411
EUH066

action 16

Full text of H-phrases: see section 16

2.2 Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





According to Regulation (EC) No. 1907/2006 and (EC) no. 435/2010 Pagina 2 van 10 Revision: no. 1 Revision date: 25-11-2019 Supersede: no. 0 Superseeds date: 7-5-2013

# CDLS 1 - Aerosol

CLP Signal word: Danger

Hazard statements (CLP)

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long-lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

### Precautionary statements (CLP)

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use

P261 Avoid breathing dust/fumes/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P312 Call a POISON CENTER or a doctor if you feel unwell P410+P412 Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/122 °F.

### 2.3 Other hazards

No additional information available.

### 3. Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propane/butane mixture	EC-No: 270-9909	30-60	Flam. Gas 1, H220
Pentane	CAS-No: 109-66-0 EC-No: 203-692-4	20-40	Aquatic Chronic 2, H411 Asp. Tox. 1, H304 STOT SE 3, H336 Flam. Liq. 2, H225 EUH066

### 4. First aid measures

### 4.1. Description of first aid measures



According to Regulation (EC) No. 1907/2006 and (EC) no. 435/2010 Pagina 3 van 10 Revision: no. 1 Revision date: 25-11-2019 Supersede: no. 0 Superseeds date: 7-5-2013

# CDLS 1 - Aerosol

First-aid measures general: In all cases of doubt, or when symptoms persist, seek medical

attention. After adequate first aid, no further treatment is

required unless symptoms reappear.

After inhalation: Take victim to fresh air, in a quiet place and if necessary take

medical advice. If unconscious, place in the recovery position

and seek medical advice.

After skin contact: Wash off immediately with soap and plenty of water

removing at the same time all contaminated clothes. Wash clothing before re-using. Do not remove clothing if it sticks to

the skin.

After eye contact: Rinse immediately with plenty of water, also under the

eyelids. First-aid measures after ingestion: Rinse mouth out with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Seek medical advice (show

the label where possible).

4.2. Most important symptoms and effects, both acute and delayed

After inhalation: Not expected to present a significant inhalation hazard under

anticipated conditions of normal use.

After skin contact: May stain the skin. May cause slight irritation to the skin.

After eye contact: May stain the eyes. May cause eye irritation.

After ingestion: May cause slight irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

### 5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Use extinguishing media appropriate for surrounding fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard: No information available on this specific product, however by

analogy, the product is considered to be: No fire hazard.

Explosion hazard: Product does not present an explosion hazard.



According to Regulation (EC)
No. 1907/2006 and (EC) no. 435/2010

Pagina 4 van 10 Revision: no. 1 Revision date: 25-11-2019 Supersede: no. 0 Superseds date: 7-5-2013

# CDLS 1 - Aerosol

Hazardous decomposition products in case of fire:

Release of harmful/irritant gases/vapours.

5.3. Advice for firefighters

Firefighting instructions: Exercise caution when fighting any chemical fire. Cool tanks/drums with water spray/remove them into safety.

Protection during firefighting: Do not enter fire area without proper protective equipment,

including respiratory protection.

Other information: Prevent fire-fighting water from entering environment.

### 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures: Avoid contact with skin, eyes and clothing. Avoid breathing

dust, mist or spray. Do not eat, drink or smoke when using

this product.

6.1.1. For non-emergency personnel

Protective equipment: Wear recommended personal protective equipment. Refer to

chapter 8.

Emergency procedures: Provide adequate ventilation. Wear suitable respiratory

equipment in case of insufficient ventilation. Keep

unprotected persons from entering.

6.1.2 For emergency responders

Protective equipment: Wear recommended personal protective equipment. Refer to

chapter 8.

Emergency procedures: Provide adequate ventilation. Wear suitable respiratory

equipment in case of insufficient ventilation. Keep

unprotected persons from entering.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Clean up any spills as soon as possible, using an absorbent

material to collect it. Wash away remainder with plenty of

water.

6.4. Reference to other sections See section(s): 8, 13.



According to Regulation (EC) No. 1907/2006 and (EC) no. 435/2010 Pagina 5 van 10 Revision: no. 1 Revision date: 25-11-2019 Supersede: no. 0 Superseeds date: 7-5-2013

# CDLS 1 - Aerosol

### 7. Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling: Keep away from sources of ignition - No smoking. Avoid all

unnecessary exposure.

Hygiene measures: Handle in accordance with good industrial hygiene and safety

practice. Do not drink, eat or smoke in the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep away from heat. Protect from freezing. Keep out of the

reach of children.

Prohibitions on mixed storage: Keep away from food, drink and animal feeding stuffs.

Storage area: Store in dry, cool, well-ventilated area. Keep container tightly

closed.

Packaging materials: Store in original container.

7.3. Specific end use(s)

No additional information available.

### 8. Exposure controls/personal protection

8.1. Control parameters

No additional information available.

8.2. Exposure controls

Appropriate engineering

controls:

Ventilate area. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any

potential exposure.

Personal protective

equipment:

Gloves. Protective clothing. Safety glasses. High gas/vapour

concentration: gas mask.

Hand protection: Chemical resistant gloves (according to European standard

NF EN 374 or equivalent), e.g. PVC gloves - Nitrile-rubber protective gloves. Since the product consists of several substances, it is not possible to estimate the durability of the glove material beforehand and it therefore needs to be

tested before use.

Eye protection: Wear tight fitting safety glasses or face shield.

Skin and body protection: Wear suitable protective clothing.



According to Regulation (EC) No. 1907/2006 and (EC) no. 435/2010 Pagina 6 van 10 Revision: no. 1 Revision date: 25-11-2019 Supersede: no. 0 Superseds date: 7-5-2013

# **CDLS 1 - Aerosol**

Respiratory protection: No respiratory protection needed under normal use

conditions. High gas/vapour concentration: gas mask.

Environmental exposure

controls:

Avoid release to the environment.

Other information: Keep away from food, drink and animal feeding stuffs.

### 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

·
Aerosol, active substance: liquid
Grease
White
petroleum-like odour.
No data available
Not self-igniting
No data available
Substance: 0,85-0,95 g/cm <sup>3</sup> (20°C)
Propane/butane mixture: 0,54 g/cm <sup>3</sup> (liquid at
15°C)
Water: Insoluble
No data available
No data available
No data available
Product does not present an explosion hazard.
No data available
Propane/butane mixture, laagste: 1,5 vol.%
Propane/butane mixture, hoogste: 9,5 vol.%

### 9.2. Other information

No additional information available.



According to Regulation (EC) No. 1907/2006 and (EC) no. 435/2010 Pagina 7 van 10 Revision: no. 1 Revision date: 25-11-2019 Supersede: no. 0 Superseeds date: 7-5-2013

# CDLS 1 - Aerosol

### 10. Stability and reactivity

10.1. Reactivity

No additional information available.

10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Strong acids. Oxidizing agent.

10.6. Hazardous decomposition products

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, fumes, nitrogen oxides (NOx).

### 11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity: Not classified

The product has not been tested

Estimated on the basis of the constituents.

Food Grease 420 – Aerosol		
LC50 inademing muis	295 mg/l	

Skin corrosion/irritation: Repeated exposure may cause skin dryness or cracking

Serious eye damage/irritation: Not classified

Respiratory or skin

sensitization:

No sensitizing effect known

Germ cell mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive toxicity: Not classified

Specific target organ toxicity Not classified



According to Regulation (EC) No. 1907/2006 and (EC) no. 435/2010 Pagina 8 van 10 Revision: no. 1 Revision date: 25-11-2019 Supersede: no. 0 Superseds date: 7-5-2013

# CDLS 1 - Aerosol

(single exposure):

Specific target organ toxicity

May cause drowsiness or dizziness.

(repeated exposure):

Aspiration hazard: Not classified

Other information: No experimental study on the product is available. The

information given is based on our knowledge of the components and the classification of the product is

determined by calculation.

### 12. Ecological information

12.1. Toxicity

Ecology - general: Do not allow into drains or water courses.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

### 13. Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste): Disposal must be done according to official regulations.

Sewage disposal recommendations:

Do not discharge into drains.

Waste disposal recommendations:

If recycling is not possible, eliminate in accordance with local

valid waste disposal regulations.

### 14. Transport information



According to Regulation (EC) No. 1907/2006 and (EC) no. 435/2010 Pagina 9 van 10 Revision: no. 1 Revision date: 25-11-2019 Supersede: no. 0 Superseeds date: 7-5-2013

# CDLS 1 - Aerosol

#### 14.1 - 14.6

14.1 – 14.6	
General Statements	
UN number	1950
Transport by road/by rail (ADR/RID)	
UN proper shipping name	AEROSOLS
Transport hazard class(es)	2.1
Packaging group	-
Classification code	5F
LQ (ADR 2013)	1L
LQ (ADR 2009)	2
Environmental hazards	environmentally hazardous
Tunnel restriction code	D
Transport by sea (IMDG-code)	
UN proper shipping name	AEROSOLS (PENTANES)
Transport hazard class(es)	2.1
Packaging group	-
EmS	F-D, S-U
Marine Pollutant	yes
Environmental hazards	environmentally hazardous
Transport by air (IATA)	
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	2.1
Packaging group	-
Environmental hazards	not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

### 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU-Regulations

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

National regulations

Germany

Water hazard class (WGK): 2 - hazard to waters WGK remark: (estimated value)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.



According to Regulation (EC) No. 1907/2006 and (EC) no. 435/2010 Pagina 10 van 10 Revision: no. 1 Revision date: 25-11-2019 Supersede: no. 0 Superseeds date: 7-5-2013

# CDLS 1 - Aerosol

### **16. Other information**

### Indication of changes:

Identification of the substance/mixture and of the company/undertaking. Hazards identification. Composition/information on ingredients. First aid measures. Firefighting measures. Accidental release measures. Handling and storage. Exposure controls/personal protection. Physical and chemical properties. Stability and reactivity. Toxicological information. Ecological information. Disposal considerations. Transport information. Regulatory information. Other information.

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long-lasting effects.

Data sources: Echa.europa.eu

Manufacturer/supplier

Richtsnoer voor etikettering en verpakking in overeenstemming met

Verordening (EG) nr. 1272/2008 Regulation (EC) no. 1272/2008

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.